

4

3

2

1

| REV | DRWN | CHK'D | DATE | DESCRIPTION |
|-----|------|-------|------|-------------|
|-----|------|-------|------|-------------|

B


B

A


A

A

A



3.60



0.125

R22.25

14.98

14.34

TOLERANCES UNLESS OTHERWISE NOTED:  
 FRACTIONAL: 0"-6": ±1/64" 6"-24": ±1/32"  
 24"+: ±1/16"  
 DECIMAL: X.X: ±0.1000" X.XX: ±0.0100"  
 X.XXX: ±0.0050" X.XXXX: ±0.0001"  
 ANGLES: ±0.5° FINISH: 125 MICRO INCHES  
 BREAK ALL SHARP EDGES & CORNERS 1/64" MAX

|          |        |
|----------|--------|
| MATERIAL | FINISH |
| STEEL    |        |



|          |        |           |
|----------|--------|-----------|
| DRAWN    | vernon | 3/25/2004 |
| CHECKED  |        |           |
| DESIGNED | vernon |           |
| ENGINEER | vernon |           |

QTY: 1

|              |  |        |     |
|--------------|--|--------|-----|
| PROJECT CODE |  | DWG NO | REV |
| NEXT ASSY    |  | A2015  | A   |
| A2020        |  |        | 1   |

Cassegrain ADC

CYLINDER, OUTER