

REV	DRWN	CHK'D	DATE	DESCRIPTION
B	VRW	VRW	5/17/05	CORRECT OFFSET FWD CELL

9X $\varnothing 0.250$ THRU
 $\sphericalangle \varnothing 0.507 \times 82.00^\circ$

0.83°

0.764

2.250

2.250

10.551

10.051

1.000

1.375

1.375

8.664

7.164

6.000

5.914

2X 4-40 UNC - 2B

9.304

8.227

7.602

6.554

8X $\varnothing 0.157$ THRU

0.000

0.000

0.250

5.650 2.500 2.250 1.307 0.283 0.000 0.250 0.550

TOLERANCES UNLESS OTHERWISE NOTED:
 FRACTIONAL: 0"-6": $\pm 1/64$ " 6"-24": $\pm 1/32$ "
 24"+: $\pm 1/16$ "
 DECIMAL: X.X: ± 0.1000 " X.XX: ± 0.0100 "
 X.XXX: ± 0.0050 " X.XXXX: ± 0.0001 "
 ANGLES: $\pm 0.5^\circ$ FINISH: 125 MICRO INCHES
 BREAK ALL SHARP EDGES & CORNERS 1/64" MAX

MATERIAL: STEEL FINISH:



DRAWN: vernon 2/20/2004
 CHECKED:
 DESIGNED: vernon
 ENGINEER: vernon

QTY: 1

Cassegrain ADC

TITLE: SLIDE MOUNT, AFT, LEFT

PROJECT CODE: A2002 DWG NO: A2042

REV B